



### Leading by example

The flagship model of the **Action<sub>NG</sub>** family, is the stylishly designed **Action<sup>3</sup><sub>NG</sub>**, it offers improved functionality, comfort and stability. Invacare's focus on these areas, has seen the model become well positioned in the market with continuing success and popularity. This medium active chair incorporates lighter components to reduce weight providing an efficient rolling action. As with all models in the **Action<sub>NG</sub>** family, a vast amount of parts are cross compatible and interchangeable throughout the range whether you have an **Action<sub>NG</sub> 2, 3, 4** or **5**.



Trusted Solutions, Passionate People





### Functionality

Along with improved stability, handling of the chair such as folding and unfolding, is a smooth, effortless process, thanks to the well designed successful cross bar with folding mechanism.

### Transportable

With a low transfer weight of as little as 7.6kg and a foldable backrest, the **Action<sup>3</sup><sub>NG</sub>** is simple to fold and to dismantle, making it easily transportable in a car.

### Durability

Modular and adaptable, the **Action<sup>3</sup><sub>NG</sub>** can accommodate progressive changes in customer needs with its wide range of options and accessories, which can be changed quickly and easily. With a proven track record for quality and durability, **Action<sup>3</sup><sub>NG</sub>** can be relied on for everyday use, day after day. This chair is also compatible with most of the **Alber** product range - please see the **Alber** brochures for further details.

## Features and Options



### 20 rear wheel positions

Driving performance is enhanced with a choice of 20 rear wheel positions as standard.



### Transparent tray

Useful for mealtimes and leisure activities such as reading.



### Buckle belt

Increased safety while seated.



### Transit chair

The Transit version offers seat heights of 460, 485 and 510 mm with 12" plastic rear wheels.



**Features and Options**



**Reclining backrest**

A gas spring backrest allows carers to easily adjust the back position in one continuous movement.



**Tension adjustable backrest upholstery**

Provides increased comfort and appropriate spinal support.



**Backrest types**

On top of the fixed backrest (0° or 7°), **Action<sup>3</sup><sub>NG</sub>** offers different types of backrests to suit different needs :

- ① folding,
- ② angle adjustable (-6°/+24°),
- ③ racket reclining (0°/30°)
- and ④ gas spring reclining (0°/30°)



**Head support**

A new range of head supports are available offering a greater range of adjustment and positioning. According to individual requirements. These include the Dartex® with backbrace and also the headrest with cheek support.

## Features and Options



### Anti-tip device

Provides extra safety on slopes or uneven ground.



### Brake and Brake extension

Parking breaks applied when chair is stationary. These can fold for side transfers.

### Hub brake

A hub brake is available for attendants. Push to lock brakes are included.



### Cushions


① 50 mm foam cushion and ② comfort cushion.



### Dual handrim propulsion

A well established dual handrim propulsion with QR mechanism makes the chair easily foldable.

## Features and Options



### Armrest assortment

- ① Removable and height adjustable t-armrest (desk and full pad). Autolock safety device included.
- ② Swing away and detachable armrest (desk and full pad).
- ③ Swing away, detachable, height adjustable armrest.
- ④ Removable, height adjustable or hemi, multi adjustable armrests. Autolock safety device included.



### Hangers and legrests

- ① Flip up depth and angle adjustable footplate.
- ② Elevating legrest including calfpad (0-80 degrees).
- ③ Amputee Legrest.
- ④ Flip up one piece footplate.
- ⑤ 80 degree straight swingin/out hanger.

## Technical data

Invacare <b>Action<sup>3</sup><sub>NG</sub></b>	380 / 405 / 430 / 455 / 480 / 505 mm	400 / 450 mm	385 / 410 / 435 / 460 / 485 / 510 mm	400 / 430 / 510 mm	200 - 230 - 260 / 240 / 190 - 295 mm	350 - 480 / 340 - 470 mm	80° / 0 - 80°

Invacare <b>Action<sup>3</sup><sub>NG</sub></b>	0° / 7° / 0° - 30° / -6° - +24°	Seat width + 200 mm	815 - 1020 mm	1000 mm	720 - 850 mm	285 mm	14.2 kg

Invacare <b>Action<sup>3</sup><sub>NG</sub></b>	125 kg	Transport weight is 7.6 kg (without armrest, footrest and rear wheels)
		Crash tested ISO 7176-19*



\* Our wheelchairs comply above ISO standards and with ISO 10542, and have additional features providing increased levels of occupant security and safety whilst travelling in a motor vehicle. Wheelchair users should however transfer to the vehicle seat and use the vehicle installed restraint system whenever it is feasible.

## Frame colours



Invacare Limited  
Pencoed Technology Park -  
Pencoed - Bridgend CF35 5AQ  
- United Kingdom  
Tel: +44 1 656 776 222  
Fax: +44 1656 776 220  
E-mail: uk@invacare.com  
Sales Order E-mail:  
ordersuk@invacare.com  
www.invacare.co.uk

Invacare Ireland Ltd  
Unit 5 - Seatown Business  
Campus  
Seatown Road - SWORDS -  
County Dublin - Ireland  
Tel. +353 1 8107084  
Fax +353 1 8107085  
Email: Ireland@invacare.com  
www.invacare.ie

© 2016 Invacare International Sàrl  
All rights reserved.

All information quoted is believed to be correct at time of print. Invacare reserves the right to alter product specifications without prior consultation.

Action3NG - UK - 01/2016  
1528014

## Upholstery



Black Nylon

Please notice colors may vary slightly from those displayed above.



**Follow us on Twitter:**  
@Think\_Mobility



**Follow us on YouTube:**  
Invacare Ltd - Think Mobility



**Yes, you can.®**